INDEX TO AUTHORS

A

Ågren, Gunnar, Hammarsten, Einar, and **Rosdahl, Karl Gustaf.** The disappearance of amino nitrogen from cell-free liver extracts. II, 541

Altschul, A. M., Sidwell, A. E., Jr., and **Hogness, T. R.** Note on the preparation and properties of hemoglobin, 123

Alving, Alf S., Rubin, Jack, and **Miller, Benjamin F.** A direct colorimetric method for the determination of inulin in blood and urine, 609

Anderson, Edith L., and **Marrian, Guy Frederic.** The identification of equol as 7-hydroxy-3-(4′-hydroxyphenyl) chroman, and the synthesis of racemic equol methyl ether, 649

Anslow, William P., Jr. See FRUTON and BERGMANN, 627

B

Barrett, H. M., and **Johnston, J. H.** The fate of trichloroethylene in the organism, 765

Barron, E. S. Guzman, and **Lyman, Carl M.** Studies on biological oxidations. XI. The metabolism of pyruvic acid by animal tissues and bacteria, 143

Baumann, Emil J., and **Metzger, Nannette.** Iodine in pituitary and some other tissues, 111

Beach, Eliot F., and **White, Abraham.** Synthesis of cystine by the albino rat, 87

Berg, Clarence P. See TOTTER and BERG, 375

Bergmann, Max, Fruton, Joseph S., and **Pollok, Heinz.** The specificity of trypsin, 643

—. See FRUTON and BERGMANN, 627

Bernheim, Frederick, and **Bernheim, Mary L. C.** The action of vanadium on the oxidation of phospholipids by certain tissues, 353

— and —. The effect of titanium on the oxidation of sulfhydryl groups by various tissues, 695

Bernheim, Mary L. C. See BERNHEIM and BERNHEIM, 353, 695

Bird, H. R. See OLESON, BIRD, ELVEHJEM, and HART, 23

Block, Richard J., and **Bolling, Diana.** The amino acid composition of keratins. The composition of gorgonin, spongin, turtle scutes, and other keratins, 685

Bolling, Diana. See BLOCK and BOLLING, 685

Bourdillon, Jaques. An apparatus for the rapid and accurate determination of low osmotic pressures, 617

C

Chaikoff, I. L. See PERLMAN and CHAIKOFF, 211

Christensen, W. Blake, Johnson, Marvin J., and Peterson, W. H. Properties of the lactic acid-racemizing enzyme of *Clostridium butylicum*, 421

Cleary, Robert V., Maier, John, and Hitchings, George H. The metabolism of chlorinated naphthalenes, 403

Colowick, Sidney P. See CORI, COLOWICK, and CORI, 771

Coolidge, Thomas B. A simple cataphoresis apparatus, 551

Corbet, Ruth E. See HOLMES and CORBET, 449

Corcoran, A. C., and Page, Irvine H. Applications of diphenylamine in the determination of levulose in biological media. I. The determination of inulin. II. The determination of levulose in small amounts of blood, 601

Cori, Carl F. See CORI, COLOWICK, and CORI, 771

Cori, Gerty T., Colowick, Sidney P., and Cori, Carl F. The activity of the phosphorylating enzyme in muscle extract, 771

Craig, Lyman C. See JACOBS and CRAIG, 361

D

Doster-Virtue, Mildred E. See VIRTUE and DOSTER-VIRTUE, 431

Dounce, Alexander L. See SUMNER and DOUNCE, 439

Drekter, Leon. See TRUHLAR, DREKTER, MCGUIRE, and FALK, 345

Dunn, Max S., and Porush, Irving. Quantitative investigations of amino acids and peptides. V. The function of iodine in amino nitrogen analyses by the nitrous acid method, 261

E

Elliott, F. H. See ELLIOTT and ELLIOTT, 457

Elliott, K. A. C., and Elliott, F. H. The influence of some intermediary metabolites and salts on the respiration of liver tissue suspensions, 457

Elvehjem, C. A. See OLESON, BIRD, ELVEHJEM, and HART, 23

—. See WIESE, JOHNSON, ELVEHJEM, HART, and HALPIN, 411

Eppstein, Samuel H. See ROSE and EPPSTEIN, 677

F

Falk, K. George. See TRUHLAR, DREKTER, MCGUIRE, and FALK, 345

Field, Henry, Jr. See MELNICK and FIELD, 505, 515, 531

Fishman, W. H. Studies on β-glucuronidase. I. A

method of preparation and purification, 367

Foster, G. L., Schoenheimer, Rudolf, and **Rittenberg, D.** Studies in protein metabolism. V. The utilization of ammonia for amino acid and creatine formation in animals, 319

Fruton, Joseph S., and **Bergmann, Max.** The specificity of pepsin, 627

—. See Bergmann, Fruton, and Pollok, 643

G

Gordon, William G. The metabolism of N-methylated amino acids. I. The availability of α-N-monomethyllysine and α-N-dimethyllysine for growth, 487

H

Halpin, J. G. See Wiese, Johnson, Elvehjem, Hart, and Halpin, 411

Hammarsten, Einar. See Ågren, Hammarsten, and Rosdahl, 541

Harris, Ruth C. The adsorption of protein by filter paper in the estimation of albumin in blood serum, 751

Hart, E. B. See Oleson, Bird, Elvehjem, and Hart, 23

—. See Wiese, Johnson, Elvehjem, Hart, and Halpin, 411

Hastings, A. Baird. See Manery and Hastings, 657

Heidelberger, Michael. See Menzel and Heidelberger, 221

Helmer, O. M., and **Page, Irvine H.** Purification and some properties of renin, 757

Hitchings, George H. See Cleary, Maier, and Hitchings, 403

Hodge, Harold Carpenter. See MacLachlan and Hodge, 721

Hogness, T. R. See Altschul, Sidwell, and Hogness, 123

Holmes, Harry N., and **Corbet, Ruth E.** Catalytic effects of porous powders on pure vitamin A, 449

Hunt, Madison, and **du Vigneaud, Vincent.** A further contribution on the relationship of the structure of *l*-carnosine to its depressor activity, 727

— and —. The synthesis of the next higher and lower homologues of *l*-carnosine: γ-aminobutyryl-*l*-histidine and glycyl-*l*-histidine, 43

I

Irvin, J. Logan, and **Wilson, D. Wright.** Studies on octopine. I. The synthesis and titration curve of octopine, 555

— and —. II. The nitrogenous extractives of squid and octopus muscle, 565

— and —. III. The precursor of octopine in autolyzing scallop muscle, 575

J

Jacobs, Walter A., and **Craig, Lyman C.** Delphinine, 361

Jen, Pong C., and **Lewis, Howard B.** The metabolism of sulfur. XXVI. The metabolism of the betaine of cystine, 97

Johnson, B. Connor. See WIESE and JOHNSON, 203

—. See WIESE, JOHNSON, ELVEHJEM, HART, and HALPIN, 411

Johnson, Marvin J. See CHRISTENSEN, JOHNSON, and PETERSON, 421

Johnston, J. H. See BARRETT and JOHNSTON, 765

K

Kane, Lewis W. See LOGAN and KANE, 705

Kelley, Edward G. Reactions of dyes with cell substances. IV. Quantitative comparison of tissue nuclei and extracted nucleoproteins, 55

—. V. Differential basic dye combination of tissue nuclei with special reference to resting and mitotic cells of tumor tissue, 73

Kelsey, F. E. Determination of cholesterol, 15

Keston, Albert S., Rittenberg, D., and **Schoenheimer, Rudolf.** Studies in protein metabolism. IV. The stability of nitrogen in organic compounds, 315

—. See RITTENBERG, KESTON, ROSEBURY, and SCHOENHEIMER, 291

—. See SCHOENHEIMER, RITTENBERG, and KESTON, 385

Kuna, Martin. See LEVENE and KUNA, 49

L

Levene, P. A., and **Kuna, Martin.** Partially O-methylated hexitols. I. 1,2,3,5,6-O-pentamethyl-*d*-sorbitol, 49

— and **Rothen, Alexandre.** Walden inversion. XXI. The halogenation of aromatic carbinols. Rotatory dispersion of aromatic carbinols and corresponding bromides, 237

—. See SCHMIDT, PICKELS, and LEVENE, 251

—. See TIPSON and LEVENE, 105

Lewis, Howard B. See JEN and LEWIS, 97

—. See VELICK, WHITE, and LEWIS, 477

Logan, Milan A. The early effects of parathyroid hormone on the blood and urine, 711

— and **Kane, Lewis W.** Solubility of bone salt. IV. Solubility of bone in biological fluids, 705

Looney, Joseph M., and **Walsh, Anna I.** The determination of spinal fluid protein with the photoelectric colorimeter, 117

Lyman, Carl M. See BARRON and LYMAN, 143

M

MacLachlan, P. L., and **Hodge, Harold Carpenter.** The influence of cocaine feeding on the liver lipids of the white mouse, 721

Maier, John. See CLEARY, MAIER, and HITCHINGS, 403

Manery, Jeanne F., and **Hastings, A. Baird.** The distribution of electrolytes in mammalian tissues, 657

Marrian, Guy Frederic. See Anderson and Marrian, 649

McCollum, E. V. See Prebluda and McCollum, 495

McGuire, Grace. See Truhlar, Drekter, McGuire, and Falk, 345

Melnick, Daniel, and **Field, Henry, Jr.** Chemical determination of vitamin B_1. I. Reaction between thiamine in pure aqueous solution and diazotized *p*-aminoacetophenone, 505

— and —. II. Method for estimation of the thiamine content of biological materials with the diazotized *p*-aminoacetophenone reagent, 515

— and —. III. Quantitative enzymic conversion of cocarboxylase (thiamine pyrophosphate) to the free vitamin, 531

Menzel, Arthur E. O., and **Heidelberger, Michael.** Specific and non-specific cell polysaccharides of a bovine strain of tubercle bacillus, 221

Metzger, Nannette. See Baumann and Metzger, 111

Miller, Benjamin F. See Alving, Rubin, and Miller, 609

Myers, Jane. See Todd, Myers, and West, 275

—. See Todd, Vreeland, Myers, and West, 269

O

O'Connor, Patricia. See Logan, 711

Oleson, J. J., Bird, H. R., Elvehjem, C. A., and **Hart, E. B.** Additional nutritional factors required by the rat, 23

P

Page, Irvine H. See Corcoran and Page, 601

—. See Helmer and Page, 757

Perlman, I., and **Chaikoff, I. L.** Radioactive phosphorus as an indicator of phospholipid metabolism. V. On the mechanism of the action of choline upon the liver of the fat-fed rat, 211

Peterson, W. H. See Christensen, Johnson, and Peterson, 421

Pickels, E. G. See Schmidt, Pickels, and Levene, 251

Pollok, Heinz. See Bergmann, Fruton, and Pollok, 643

Porush, Irving. See Dunn and Porush, 261

Prebluda, Harry J., and **McCollum, E. V.** A chemical reagent for thiamine, 495

R

Ratner, S. See Schoenheimer and Ratner, 301

—. See Schoenheimer, Ratner, and Rittenberg, 333

Riemenschneider, R. W., Wheeler, D. H., and **Sando, Charles E.** The probable identity of α- and β-linoleic acids, 391

Rittenberg, D., Keston, Albert S., Rosebury, F., and **Schoenheimer, Rudolf.** Studies in protein metabolism. II. The determination of nitrogen isotopes in organic compounds, 291

— and **Schoenheimer, Rudolf.** Studies in protein metabolism. VI. Hippuric acid formation studied with the aid of the nitrogen isotope, 329

—. See FOSTER, SCHOENHEIMER, and RITTENBERG, 319

—. See KESTON, RITTENBERG, and SCHOENHEIMER, 315

—. See SCHOENHEIMER, RATNER, and RITTENBERG, 333

—. See SCHOENHEIMER and RITTENBERG, 285

—. See SCHOENHEIMER, RITTENBERG, and KESTON, 385

Rosdahl, Karl Gustaf. See ÅGREN, HAMMARSTEN, and ROSDAHL, 541

Rose, William C., and **Eppstein, Samuel H.** The dietary indispensability of valine, 677

Rosebury, F. See RITTENBERG, KESTON, ROSEBURY, and SCHOENHEIMER, 291

Ross, William F. The heme-globin linkage of hemoglobin. I. The course of the pancreatic digestion of oxyhemoglobin and of carboxyhemoglobin, 169

—. II. The molecular weight of the product from carboxyhemoglobin, 179

—. The phyllochromogen of protoporphyrin and pyridine, 163

Rothen, Alexandre. See LEVENE and ROTHEN, 237

Rubin, Jack. See ALVING, RUBIN, and MILLER, 609

S

Sando, Charles E. See RIEMENSCHNEIDER, WHEELER, and SANDO, 391

Schmidt, Gerhard, Pickels, E. G., and **Levene, P. A.** Enzymatic dephosphorylation of desoxyribonucleic acids of various degrees of polymerization, 251

Schoenheimer, Rudolf, and **Ratner, S.** Studies in protein metabolism. III. Synthesis of amino acids containing isotopic nitrogen, 301

—, —, and **Rittenberg, D.** Studies in protein metabolism. VII. The metabolism of tyrosine, 333

— and **Rittenberg, D.** Studies in protein metabolism. I. General considerations in the application of isotopes to the study of protein metabolism. The normal abundance of nitrogen isotopes in amino acids, 285

—, —, and **Keston, Albert S.** Studies in protein metabolism. VIII. The activity of the α-amino group of histidine in animals, 385

—. See FOSTER, SCHOENHEIMER, and RITTENBERG, 319

Schoenheimer, Rudolf. See KESTON, RITTENBERG, and SCHOENHEIMER, 315
—. See RITTENBERG, KESTON, ROSEBURY, and SCHOENHEIMER, 291
—. See RITTENBERG and SCHOENHEIMER, 329
Sendroy, Julius, Jr. Note on tests for purity of solid silver iodate prepared for chloride determination, 483
Sidwell, A. E., Jr. See ALTSCHUL, SIDWELL, and HOGNESS, 123
Stekol, Jakob A. Studies on the mercapturic acid synthesis in animals. X. Glutathione in relation to growth of rats on a low casein diet which contained bromobenzene and naphthalene, 131
Strain, Harold H. Carotene. XI. Isolation and detection of α-carotene, and the carotenes of carrot roots and of butter, 191
Sumner, James B., and **Dounce, Alexander L.** Catalase. II, 439

T

Tipson, R. Stuart, and **Levene, P. A.** On the union of the nucleotides in ribonucleic acid, 105
Todd, W. R., Myers, Jane, and **West, Edward S.** On the metabolism of sorbitol and mannitol, 275
—, **Vreeland, Johanna, Myers, Jane,** and **West, Edward S.** A rapid micromethod for the quantitative estimation of sugar alcohols, 269
Totter, John R., and **Berg, Clarence P.** The influence of optical isomerism on the utilization of tryptophane, histidine, and lysine for growth in the mouse, 375
Trevorrow, Virginia. Studies on the nature of the iodine in blood, 737
Truhlar, Joseph, Drekter, Leon, McGuire, Grace, and **Falk, K. George.** Studies on enzyme action. LI. The phosphatase actions of tissues of normal and rachitic rats, 345

V

Velick, Sidney F., White, Julius, and **Lewis, Howard B.** The synthesis of dicholylcystine and cholylcysteic acid, 477
du Vigneaud, Vincent. See HUNT and DU VIGNEAUD, 43, 727
Virtue, Robert W., and **Doster-Virtue, Mildred E.** Studies on the production of taurocholic acid in the dog. III. Cystine disulfoxide, cysteine sulfinic acid, and cysteic acid, 431
Vreeland, Johanna. See TODD, VREELAND, MYERS, and WEST, 269

W

Walsh, Anna I. See LOONEY and WALSH, 117
West, Edward S. See TODD, MYERS, and WEST, 275
—. See TODD, VREELAND, MYERS, and WEST, 269

Wheeler, D. H. See RIEMENSCHNEIDER, WHEELER, and SANDO, 391

White, Abraham. See BEACH and WHITE, 87

White, Julius. See VELICK, WHITE, and LEWIS, 477

Wiese, A. C., and Johnson, B. Connor. A new method for the microdetermination of manganese in biological materials, 203

—, —, **Elvehjem, C. A., Hart, E. B., and Halpin, J. G.** A study of blood and bone phosphatase in chick perosis, 411

Wilson, D. Wright. See IRVIN and WILSON, 555, 565, 575

Wright, Norman. The infra-red absorption spectra of amino acids, 137

Wyman, Jeffries, Jr. An analysis of the titration data of oxyhemoglobin of the horse by a thermal method, 1

—. The heat of oxygenation of hemoglobin, 581

INDEX TO SUBJECTS

A

Albumin: Blood serum, determination, filter paper protein adsorption, effect (HARRIS) 751

Alcohols: Sugar, determination, micro- (TODD, VREELAND, MYERS, and WEST) 269

Aminoacetophenone: *p*-, diazotized, biological materials, thiamine determination, use (MELNICK and FIELD) 515

—, —, thiamine, reaction (MELNICK and FIELD) 505

Amino acid(s): (DUNN and PORUSH) 261

Absorption spectra, infra-red (WRIGHT) 137

Formation, animals, ammonia utilization (FOSTER, SCHOENHEIMER, and RITTENBERG) 319

Gorgonin (BLOCK and BOLLING) 685

Keratins (BLOCK and BOLLING) 685

N-Methylated, metabolism (GORDON) 487

Nitrogen isotopes (SCHOENHEIMER and RITTENBERG) 285

Spongin (BLOCK and BOLLING) 685

Amino acid(s)—*continued:*

Synthesis, isotopic nitrogen-containing (SCHOENHEIMER and RATNER) 301

Turtle scutes (BLOCK and BOLLING) 685

Aminobutyryl-*l*-histidine: γ-, synthesis (HUNT and DU VIGNEAUD) 43

Amino group: α-, histidine, activity, animals (SCHOENHEIMER, RITTENBERG, and KESTON) 385

Amino nitrogen: Determination, iodine use (DUNN and PORUSH) 261

Liver extracts, cell-free, disappearance (ÅGREN, HAMMARSTEN, and ROSDAHL) 541

Ammonia: Amino acid and creatine formation, animals, utilization (FOSTER, SCHOENHEIMER, and RITTENBERG) 319

Apparatus: Cataphoresis (COOLIDGE) 551

Osmotic pressure, low, determination (BOURDILLON) 617

B

Bacteria: Pyruvic acid metabolism, effect (BARRON and LYMAN) 143

Benzene: Bromo-, growth relation (STEKOL) 131
Biological fluids: Bone solubility (LOGAN and KANE) 705
Biological materials: Manganese determination, micro- (WIESE and JOHNSON) 203
Thiamine determination, *p*-aminoacetophenone (MELNICK and FIELD) 515
Biological media: Levulose determination, diphenylamine use (CORCORAN and PAGE) 601
Blood: Inulin determination, colorimetric (ALVING, RUBIN, and MILLER) 609
Iodine, nature (TREVORROW) 737
Levulose determination, diphenylamine use (CORCORAN and PAGE) 601
Parathyroid hormone effect (LOGAN) 711
Phosphatase, perosis, chick (WIESE, JOHNSON, ELVEHJEM, HART, and HALPIN) 411
Blood serum: Albumin determination, filter paper protein adsorption, effect (HARRIS) 751
Bone: Phosphatase, perosis, chick (WIESE, JOHNSON, ELVEHJEM, HART, and HALPIN) 411
Salt, solubility (LOGAN and KANE) 705
Solubility, biological fluids (LOGAN and KANE) 705
Bromobenzene: Growth relation (STEKOL) 131
Butter: Carotenes (STRAIN) 191

C

Carbinols: Aromatic, and corresponding bromides, rotatory dispersion (LEVENE and ROTHEN) 237
—, halogenation (LEVENE and ROTHEN) 237
Carboxyhemoglobin: Digestion product, molecular weight (Ross) 179
Pancreatic digestion (Ross) 169
Carnosine: *l*-, homologues, synthesis (HUNT and DU VIGNEAUD) 43
—, structure, depressor activity, relation (HUNT and DU VIGNEAUD) 727
Carotene(s): (STRAIN) 191
α-, isolation and detection (STRAIN) 191
Butter (STRAIN) 191
Carrot roots (STRAIN) 191
Carrot: Root, carotenes (STRAIN) 191
Casein: -Low diet, glutathione, bromobenzene and naphthalene, growth relation (STEKOL) 131
Catalase: (SUMNER and DOUNCE) 439
Cataphoresis: Apparatus (COOLIDGE) 551
Cell: Substances, dyes, reactions (KELLEY) 55, 73
Cerebrospinal fluid: Protein determination, colorimetric (LOONEY and WALSH) 117
Chloride: Determination, silver iodate purity, tests (SENDROY) 483

Cholesterol: Determination (KELSEY) 15
Choline: Liver action, radioactive phosphorus as indicator (PERLMAN and CHAIKOFF) 211
Cholylcysteic acid: Synthesis (VELICK, WHITE, and LEWIS) 477
Chroman: 7-Hydroxy-3-(4′-hydroxyphenyl), equol, identity (ANDERSON and MARRIAN) 649
Chromogen: Phyllo-, protoporphyrin and pyridine (Ross) 163
Clostridium butylicum: Lactic acid-racemizing enzyme (CHRISTENSEN, JOHNSON, and PETERSON) 421
Cocaine: Liver lipids, feeding influence (MACLACHLAN and HODGE) 721
Cocarboxylase: Vitamin B_1 conversion (MELNICK and FIELD) 531
Creatine: Formation, animals, ammonia utilization (FOSTER, SCHOENHEIMER, and RITTENBERG) 319
Cysteic acid: Cholyl-, synthesis (VELICK, WHITE, and LEWIS) 477
Taurocholic acid production, effect (VIRTUE and DOSTER-VIRTUE) 431
Cysteine sulfinic acid: Taurocholic acid production, effect (VIRTUE and DOSTER-VIRTUE) 431
Cystine: Dicholyl-, synthesis (VELICK, WHITE, and LEWIS) 477
Cystine—*continued:*
Synthesis, rat (BEACH and WHITE) 87
Cystine betaine: Metabolism (JEN and LEWIS) 97
Cystine disulfoxide: Taurocholic acid production, effect (VIRTUE and DOSTER-VIRTUE) 431

D

Delphinine: (JACOBS and CRAIG) 361
Depressor activity: *l*-Carnosine structure, relation (HUNT and DU VIGNEAUD) 727
Desoxyribonucleic acids: Enzyme dephosphorylation (SCHMIDT, PICKELS, and LEVENE) 251
Dicholylcystine: Synthesis (VELICK, WHITE, and LEWIS) 477
Diet: Casein-low, growth relation (STEKOL) 131
Valine, indispensability (ROSE and EPPSTEIN) 677
See also Nutrition
Dimethyllysine: α-N-, growth availability (GORDON) 487
Diphenylamine: Biological media, levulose determination, use (CORCORAN and PAGE) 601
Blood levulose determination, use (CORCORAN and PAGE) 601
Inulin determination, use (CORCORAN and PAGE) 601
Dye(s): Basic, tissue nuclei combination (KELLEY) 73
Cell substances, reactions (KELLEY) 55, 73

Dye(s)—*continued:*
Tissue nuclei and nucleoproteins, reaction, comparison (KELLEY) 55

E

Electrolytes: Tissues, distribution (MANERY and HASTINGS) 657
Enzyme: Action (TRUHLAR, DREKTER, MCGUIRE, and FALK) 345
Cocarboxylase conversion to vitamin B_1, effect (MELNICK and FIELD) 531
Desoxyribonucleic acids, dephosphorylation (SCHMIDT, PICKELS, and LEVENE) 251
Lactic acid-racemizing, *Clostridium butylicum* (CHRISTENSEN, JOHNSON, and PETERSON) 421
Phosphorylating, muscle extract (CORI, COLOWICK, and CORI) 771
See also Catalase, Cocarboxylase, β-Glucuronidase, Pepsin, Phosphatase, Trypsin
Equol: 7-Hydroxy-3-(4′-hydroxyphenyl) chroman, identity (ANDERSON and MARRIAN) 649
Equol methyl ether: Racemic, synthesis (ANDERSON and MARRIAN) 649
Ethylene: Trichloro-, fate, organism (BARRETT and JOHNSTON) 765

G

Globin: Heme-, linkage, hemoglobin (Ross) 169, 179
Glucuronidase: β- (FISHMAN) 367
—, preparation and purification (FISHMAN) 367
Glutathione: Growth relation (STEKOL) 131
Glycyl-*l*-histidine: Synthesis (HUNT and DU VIGNEAUD) 43
Gorgonin: Amino acids (BLOCK and BOLLING) 685
Growth: Casein-low diet, bromobenzene and naphthalene relation (STEKOL) 131
α-N-Dimethyllysine availability (GORDON) 487
Glutathione relation (STEKOL) 131
Histidine utilization, optical isomerism influence (TOTTER and BERG) 375
Lysine utilization, optical isomerism influence (TOTTER and BERG) 375
α-N-Monomethyllysine availability (GORDON) 487
Tryptophane utilization, optical isomerism influence (TOTTER and BERG) 375

H

Heme: -Globin linkage, hemoglobin (Ross) 169, 179
Hemoglobin: Heat of oxygenation (WYMAN) 581
Heme-globin linkage (Ross) 169, 179
Preparation and properties (ALTSCHUL, SIDWELL, and HOGNESS) 123
See also Carboxyhemoglobin, Oxyhemoglobin

Hexitols: O-Methylated, partially (LEVENE and KUNA) 49
Hippuric acid: Formation, nitrogen isotope use (RITTENBERG and SCHOENHEIMER) 329
Histidine: γ-Aminobutyryl-*l*-, synthesis (HUNT and DU VIGNEAUD) 43
α-Amino group activity, animals (SCHOENHEIMER, RITTENBERG, and KESTON) 385
Glycyl-*l*-, synthesis (HUNT and DU VIGNEAUD) 43
Utilization, growth, optical isomerism influence (TOTTER and BERG) 375
Hydroxy- 3 -(4′ -hydroxyphenyl) chroman: 7-, equol, identity (ANDERSON and MARRIAN) 649

I

Inulin: Blood, determination, colorimetric (ALVING, RUBIN, and MILLER) 609
Determination, diphenylamine use (CORCORAN and PAGE) 601
Urine, determination, colorimetric (ALVING, RUBIN, and MILLER) 609
Iodine: Amino nitrogen determination, use (DUNN and PORUSH) 261
Blood, nature (TREVORROW) 737
Pituitary (BAUMANN and METZGER) 111
Tissues (BAUMANN and METZGER) 111
Isotopes: Protein metabolism indicators (SCHOENHEIMER and RITTENBERG) 285

K

Keratins: Amino acids (BLOCK and BOLLING) 685

L

Lactic acid: -Racemizing enzyme, *Clostridium butylicum* (CHRISTENSEN, JOHNSON, and PETERSON) 421
Levulose: Biological media, determination, diphenylamine use (CORCORAN and PAGE) 601
Blood, determination, diphenylamine use (CORCORAN and PAGE) 601
Linoleic acids: α- and β-, identity (RIEMENSCHNEIDER, WHEELER, and SANDO) 391
Lipid(s): Liver, cocaine feeding, influence (MACLACHLAN and HODGE) 721
Phospho-. *See* Phospholipid
Liver: Choline action, radioactive phosphorus as indicator (PERLMAN and CHAIKOFF) 211
Extracts, cell-free, amino nitrogen disappearance (ÅGREN, HAMMARSTEN, and ROSDAHL) 541
Lipids, cocaine feeding, influence (MACLACHLAN and HODGE) 721
Tissue suspension respiration, metabolites and salts, effect (ELLIOTT and ELLIOTT) 457

Lysine: α-N-Dimethyl-, growth availability (GORDON) 487
α-N-Monomethyl-, growth availability (GORDON) 487
Utilization, growth, optical isomerism influence (TOTTER and BERG) 375

M

Manganese: Biological materials, determination, micro- (WIESE and JOHNSON) 203
Mannitol: Metabolism (TODD, MYERS, and WEST) 275
Mercapturic acid: Synthesis, animals (STEKOL) 131
Metabolism: Amino acids, N-methylated (GORDON) 487
Cystine betaine (JEN and LEWIS) 97
Mannitol (TODD, MYERS, and WEST) 275
Naphthalenes, chlorinated (CLEARY, MAIER, and HITCHINGS) 403
Phospholipid, radioactive phosphorus as indicator (PERLMAN and CHAIKOFF) 211
Protein (SCHOENHEIMER and RITTENBERG) 285
(RITTENBERG, KESTON, ROSEBURY, and SCHOENHEIMER) 291
(SCHOENHEIMER and RATNER) 301
(KESTON, RITTENBERG, and SCHOENHEIMER) 315
(FOSTER, SCHOENHEIMER, and RITTENBERG) 319
(RITTENBERG and SCHOENHEIMER) 329
Metabolism—*continued*:
(SCHOENHEIMER, RATNER, and RITTENBERG) 333
(SCHOENHEIMER, RITTENBERG, and KESTON) 385
Protein, isotopes as indicators (SCHOENHEIMER and RITTENBERG) 285
Pyruvic acid, tissues and bacteria, effect (BARRON and LYMAN) 143
Sorbitol (TODD, MYERS, and WEST) 275
Sulfur (JEN and LEWIS) 97
Tyrosine (SCHOENHEIMER, RATNER, and RITTENBERG) 333
Metabolites: Intermediary, liver tissue suspension respiration, effect (ELLIOTT and ELLIOTT) 457
Monomethyllysine: α-N-, growth availability (GORDON) 487
Muscle: Extract, enzyme, phosphorylating (CORI, COLOWICK, and CORI) 771
Octopus, nitrogenous extractives (IRVIN and WILSON) 565
Scallop, octopine precursor (IRVIN and WILSON) 575
Squid, nitrogenous extractives (IRVIN and WILSON) 565

N

Naphthalene(s): Chlorinated, metabolism (CLEARY, MAIER, and HITCHINGS) 403
Growth relation (STEKOL) 131

Nitrogen: Amino. *See* Amino nitrogen
Isotope, hippuric acid formation, use (RITTENBERG and SCHOENHEIMER) 329
Isotopes, amino acids (SCHOENHEIMER and RITTENBERG) 285
—, organic compounds, determination (RITTENBERG, KESTON, ROSEBURY, and SCHOENHEIMER) 291
Isotopic, amino acids, synthesis with (SCHOENHEIMER and RATNER) 301
Stability, organic compounds (KESTON, RITTENBERG, and SCHOENHEIMER) 315
Nitrogenous extractives: Octopus muscle (IRVIN and WILSON) 565
Squid muscle (IRVIN and WILSON) 565
Nucleic acid(s): Desoxyribo-, enzyme dephosphorylation (SCHMIDT, PICKELS, and LEVENE) 251
Ribo-, nucleotides, union (TIPSON and LEVENE) 105
Nucleoproteins: Tissue nuclei and, dye reaction, comparison (KELLEY) 55
Nucleotides: Ribonucleic acid, union (TIPSON and LEVENE) 105
Nucleus: Tissue, basic dye combination (KELLEY) 73
—, nucleoproteins and, dye reaction, comparison (KELLEY) 55
Nutrition: Factor, additional, rat (OLESON, BIRD, ELVEHJEM, and HART) 23
See also Diet

O

Octopine: (IRVIN and WILSON) 555, 565, 575
Scallop muscle, precursor (IRVIN and WILSON) 575
Synthesis and titration curve (IRVIN and WILSON) 555
Octopus: Muscle, nitrogenous extractives (IRVIN and WILSON) 565
Organic compounds: Nitrogen isotopes, determination (RITTENBERG, KESTON, ROSEBURY, and SCHOENHEIMER) 291
— stability (KESTON, RITTENBERG, and SCHOENHEIMER) 315
Osmotic pressure: Low, determination, apparatus (BOURDILLON) 617
Oxidation(s): Biological (BARRON and LYMAN) 143
Oxyhemoglobin: Pancreatic digestion (ROSS) 169
Titration data, analysis (WYMAN) 1

P

Pancreas: Carboxyhemoglobin digestion (ROSS) 169
Oxyhemoglobin digestion (ROSS) 169
Parathyroid: Hormone, blood and urine, effect (LOGAN) 711

Pentamethyl-*d*-sorbitol: 1,2,3,-5,6-O- (LEVENE and KUNA) 49
Pepsin: Specificity (FRUTON and BERGMANN) 627
Peptides: (DUNN and PORUSH) 261
Perosis: Blood phosphatase, chick (WIESE, JOHNSON, ELVEHJEM, HART, and HALPIN) 411
Bone phosphatase, chick (WIESE, JOHNSON, ELVEHJEM, HART, and HALPIN) 411
Phosphatase: Blood, perosis, chick (WIESE, JOHNSON, ELVEHJEM, HART, and HALPIN) 411
Bone, perosis, chick (WIESE, JOHNSON, ELVEHJEM, HART, and HALPIN) 411
Tissues, normal and rachitic, action (TRUHLAR, DREKTER, MCGUIRE, and FALK) 345
Phospholipid: Metabolism, radioactive phosphorus as indicator (PERLMAN and CHAIKOFF) 211
Oxidation, tissues, vanadium action (BERNHEIM and BERNHEIM) 353
Phosphorus: Radioactive, choline action on liver, indicator (PERLMAN and CHAIKOFF) 211
—, phospholipid metabolism indicator (PERLMAN and CHAIKOFF) 211
Phyllochromogen: Protoporphyrin and pyridine (Ross) 163
Pituitary: Iodine (BAUMANN and METZGER) 111
Polysaccharides: Tubercle bacillus, bovine (MENZEL and HEIDELBERGER) 221
Porphyrin: Proto-, phyllochromogen (Ross) 163
Protein(s): Cerebrospinal fluid, determination, colorimetric (LOONEY and WALSH) 117
Metabolism (SCHOENHEIMER and RITTENBERG) 285
(RITTENBERG, KESTON, ROSEBURY, and SCHOENHEIMER) 291
(SCHOENHEIMER and RATNER) 301
(KESTON, RITTENBERG, and SCHOENHEIMER) 315
(FOSTER, SCHOENHEIMER, and RITTENBERG) 319
(RITTENBERG and SCHOENHEIMER) 329
(SCHOENHEIMER, RATNER, and RITTENBERG) 333
(SCHOENHEIMER, RITTENBERG, and KESTON) 385
—, isotopes as indicators (SCHOENHEIMER and RITTENBERG) 285
Nucleo-. *See* Nucleoproteins
Protoporphyrin: Phyllochromogen (Ross) 163
Pyridine: Phyllochromogen (Ross) 163
Pyruvic acid: Metabolism, tissues and bacteria, effect (BARRON and LYMAN) 143

R

Renin: Purification and properties (HELMER and PAGE) 757

Respiration: Liver tissue suspension, metabolites and salts, effect (ELLIOTT and ELLIOTT) 457

Ribonucleic acid: Nucleotides, union (TIPSON and LEVENE) 105

Rickets: Tissue phosphatase action (TRUHLAR, DREKTER, MCGUIRE, and FALK) 345

S

Salts: Liver tissue suspension respiration, effect (ELLIOTT and ELLIOTT) 457

Scallop: Muscle, octopine precursor (IRVIN and WILSON) 575

Silver iodate: Purity tests (SENDROY) 483

Sorbitol: Metabolism (TODD, MYERS, and WEST) 275

1, 2, 3, 5, 6-O-Pentamethyl-*d*- (LEVENE and KUNA) 49

Spongin: Amino acids (BLOCK and BOLLING) 685

Squid: Muscle, nitrogenous extractives (IRVIN and WILSON) 565

Sugar: Alcohols, determination, micro- (TODD, VREELAND, MYERS, and WEST) 269

Sulfhydryl groups: Oxidation, tissues, titanium effect (BERNHEIM and BERNHEIM) 695

Sulfur: Metabolism (JEN and LEWIS) 97

T

Taurocholic acid: Production (VIRTUE and DOSTER-VIRTUE) 431

Taurocholic acid—*continued:*

Production, cysteic acid effect (VIRTUE and DOSTER-VIRTUE) 431

—, cysteine sulfinic acid effect (VIRTUE and DOSTER-VIRTUE) 431

—, cystine disulfoxide effect (VIRTUE and DOSTER-VIRTUE) 431

Thiamine: *p*-Aminoacetophenone, diazotized, reaction (MELNICK and FIELD) 505

Biological materials, determination, *p*-aminoacetophenone (MELNICK and FIELD) 515

Chemical reagent for (PREBLUDA and MCCOLLUM) 495

See also Vitamin B_1

Thiamine pyrophosphate: *See* Cocarboxylase

Tissue(s): Electrolytes, distribution (MANERY and HASTINGS) 657

Iodine (BAUMANN and METZGER) 111

Nucleus, basic dye combination (KELLEY) 73

—, nucleoproteins and, dye reaction, comparison (KELLEY) 55

Phosphatase, normal and rachitic, action (TRUHLAR, DREKTER, MCGUIRE, and FALK) 345

Phospholipid oxidation, vanadium action (BERNHEIM and BERNHEIM) 353

Pyruvic acid metabolism, effect (BARRON and LYMAN) 143

Tissue(s)—*continued:*
Sulfhydryl groups, oxidation, titanium effect (BERNHEIM and BERNHEIM) 695
Tumor, cells, basic dye combination (KELLEY) 73
Titanium: Sulfhydryl groups, oxidation, tissues, effect (BERNHEIM and BERNHEIM) 695
Trichloroethylene: Fate, organism (BARRETT and JOHNSTON) 765
Trypsin: Specificity (BERGMANN, FRUTON, and POLLOK) 643
Tryptophane: Utilization, growth, optical isomerism influence (TOTTER and BERG) 375
Tubercle bacillus: Bovine, polysaccharides (MENZEL and HEIDELBERGER) 221
Tumor: Tissue cells, basic dye combination (KELLEY) 73
Turtle: Scutes, amino acids (BLOCK and BOLLING) 685
Tyrosine: Metabolism (SCHOENHEIMER, RATNER, and RITTENBERG) 333

U

Urine: Inulin determination, colorimetric (ALVING, RUBIN, and MILLER) 609
Parathyroid hormone effect (LOGAN) 711

V

Valine: Dietary, indispensability (ROSE and EPPSTEIN) 677
Vanadium: Phospholipid oxidation, tissues, action (BERNHEIM and BERNHEIM) 353
Vitamin(s): A, porous powder, catalytic effect (HOLMES and CORBET) 449
B_1, cocarboxylase relation (MELNICK and FIELD) 531
—, determination, chemical (MELNICK and FIELD) 505, 515, 531
—. *See also* Thiamine

W

Walden inversion: (LEVENE and ROTHEN) 237